

Index

- A-construction, 103
- acoustic
 - power, 383
 - pressure, 384
- action
 - faithful, 669
 - finite, 34
 - fixed point, 59, 171
 - graph, 670
 - induced, 688
 - kernel, 207
 - kernel of, 33
 - lattice, 625
 - left regular, 38
 - of a group, 33
 - orbit, 33
 - poset, 625
 - restriction, 38
 - right regular, 38
 - similar, 174, 666
 - stabilizer, 170
 - transitive, 38
 - trivial, 54
- additive representation
 - Galois field, 204
- affine
 - q -polynomial, 198
 - multiple, 198
 - transformations, 245
- affine geometry, 355
- algebra, 215
- algebraic, 159
- algebraic closure, 159, 229, 237
- algebraically closed, 159
- algorithm
 - Berlekamp, 192
 - Chien search, 395
 - construct a normal element, 559
 - CRC-decoding, 402
 - decoding of errors and erasures with a BCH-code, 396
 - decoding of errors with a BCH-code, 397
 - Dixon–Wilf, 527
 - Euclidean, 145, 147
 - Extended Euclidean, 393
 - Forney, 395
 - generate a normal element, 558
 - lattice point enumeration, 601
 - L^3 -, 588
 - LLL-, 588
 - minimum distance, 70–77, 605
 - orbits on points, 673
 - orbits on subsets, 709
 - order of a group element, 199
 - orderly generation, 691
 - orderly generation by canonical augmentation, 693
 - pre-Lyndon, 187
 - primitive element of \mathbb{F}_q , 200
 - sift, 724
 - Zassenhaus, 196
- aliasing, 380
- alphabet, 11, 178, 179
- annihilator, 219, 223
 - left, 219
 - right, 218
- anti-isomorphism
 - of lattices, 161
 - order-, 161
- antichain, 627
- augmentation, 102, 126
 - ideal, 329
 - mapping, 322
- automorphism
 - group, 626
 - doubly transitive, 251
 - of a blocking set, 637
 - of extension set, 708
 - projective, 641
- B-construction, 103
- backtracking algorithm, 564

- band limited signal, 376
- barcode, 9
- base b representation, 22
- base of a group, 717
- basic orbit, 718
- basis, 566
 - δ -reduced, 591
 - Korkine–Zolotarev-reduced, 587, 596
 - LLL-reduced, 588, 591
 - Minkowski-reduced, 586
- BCH
 - -bound, 238
 - -code, 239
- Berlekamp algorithm, 192
- Bézout’s Identity, 145, 147
- binary code, 20
- binomial
 - formula, 154
 - theorem, 154
- binomial tree, 683
- Blichfeldt, 585, 587
 - lemma of, 582
- block, 305
 - code, 7, 36
 - length, 12
- blocking set, 622
- blow up, 108
- Book
 - Red, 423
 - Yellow, 435
- Boolean function, 119
- Bose–distance, 241
- bound
 - BCH-, 238
 - Gilbert-, 90
 - Griesmer-, 89
 - Hamming-, 82
 - Plotkin-, 85
 - Reiger-, 403
 - Singleton-, 82
 - Square-Root-, 262
 - Varshamov-, 91
- bounds, 82–93
- breadth first search, 684
- Brouwer, 70
- burst error, 401
 - correcting efficiency, 404
 - location, 401
 - pattern, 401
 - wrap around, 401
- Butterworth filter, 382
- canonical
 - actions, 34, 35
 - basis of \mathbb{F}^G , 214
 - form of a critical code, 522
 - generators, 482
 - labelings of field elements, 203
 - projection, 301
 - representative, 145, 148, 222
 - transversal, 179, 690
- cardinal sine function, 377
- Cauchy–Frobenius
 - Lemma, 171
 - – weighted form, 454
- Cayley-graph, 725
- CD-ROM, 435
- center, 206, 458
- centralizer, 181
- centrally-primitive, 283
- channel, 3
 - symmetric, 4
- character
 - modular, 54
 - of finite action, 54
 - of representation, 54
 - one-dimensional, 54
 - ordinary, 54
- characteristic, 139
 - polynomial, 481
- check
 - bits, 65
 - matrix, 20
 - polynomial, 221
 - symbols, 227
- Chien search, 395
- Chinese Remainder Theorem, 190, 192, 202
- Cholesky decomposition, 576

- CIRC, 412
- classification, metric, 445
- CLV, 424
- code, 5
 - A-construction, 103
 - Alternant-, 285
 - BCH-, 75, 239
 - in the narrow sense, 239
 - primitive, 239
 - B-construction, 103
 - binary, 20
 - Golay-, 106, 264
 - block, 36
 - block length, 12
 - concatenated
 - diagonally, 98
 - critical, 511, 512
 - cyclic, 215
 - annihilator, 223
 - indecomposable, 304
 - root, 233
 - variety, 233
 - decomposable, 463
 - defect, 90
 - dimension, 12
 - dual, 21
 - EAN, 8
 - equidistant, 87
 - generator matrix, 696
 - Golay-, 264, 343, 527, 606
 - binary, 77, 106, 264
 - ternary, 264, 606
 - Goppa-, 287
 - MDS-, 282
 - group algebra, 213, 215
 - Hamming-, 23, 83, 126, 452, 525, 698
 - extended, 95
 - hexacode, 132
 - homomorphism, 511
 - indecomposable, 464, 511
 - critical, 511
 - injective, 452
 - inner, 407
 - ISBN-, 5, 7
 - isometric, 29
 - linearly, 30, 444
 - permutationally, 30
 - semilinearly, 49
 - isometry classes, 741
 - isomorphism, 512
 - ISSN-, 8
 - length, 12
 - linear, 7, 12
 - linearly isometric, 444
 - MDS-, 82, 128–135
 - trivial, 82
 - minimum weight, 15
 - (n, k) -, 12
 - (n, k, d) -, 16
 - (n, k, d, q) -, 16
 - nonredundant, 448
 - optimal, 81
 - orderly generation, 688–698
 - outer, 407
 - parity check, 21, 27
 - perfect, 83
 - projective, 28, 452, 515
 - punctured, 96
 - QR-, 257
 - quadratic-residue-, 257
 - quaternary, 20
 - r -divisible, 60
 - reduced, 452, 515
 - Reed–Muller, 526
 - binary, 123
 - Reed–Muller-, 120
 - Reed–Solomon-, 239
 - repetition, 5
 - restricted, 108
 - self-dual, 21
 - self-orthogonal, 21
 - semi-simple, 308
 - simplex-, 83, 126, 452, 619
 - spectrum, 524
 - stabilizer type of a , 642
 - ternary, 20
 - Golay-, 264
 - t -error-correcting, 16

- t -error-detecting, 16
- type of, 16
- $(u \mid u + v)$ -construction, 100, 122
- (u, v) -construction, 98
- $(u + w \mid v + w \mid u + v + w)$ -constr., 105
- visible, 313
- X-construction, 104
- Y1-construction, 103
- codevector, 12
- codeword, 4, 12
- colexicographical order, 178
- collineation, 206
- column
 - code, 407
 - critical, 515
 - decoder, 407
- communication system, 3
- compact disc read only memory, 435
- companion matrix, 327, 480
- comparable, 161
- composition series, 298, 304
 - length, 299
- concatenated code, 98
- conjugacy class, 181
- conjugates, 168
- conjugation, 181
- construction
 - A-, 103
 - B-, 103
 - $(u \mid u + v)$ -, 100, 122
 - (u, v) -, 98
 - $(u + w \mid v + w \mid u + v + w)$ -, 105
 - X-, 104
 - Y1-, 103
- content, 451, 455, 457, 460
- convergence
 - in energy, 371
 - mean, 371
 - mean quadratic, 371
 - pointwise, 371
 - uniform, 371
- convolution, 214
- coset leader, 23
 - algorithm, 20
- covering
 - polynomial, 344
 - radius, 90
- critical
 - code, 511, 512
 - column, 515
- cross
 - interleaved Reed–Solomon-codes, 412
 - interleaving, 412
- cross section, 550
- cycle
 - index, 455
 - of the symmetric group, 498
 - $\text{PGL}_k(q)$, 493
 - S_n , 498
 - type, 454
 - of n , 477
- cyclic
 - code, 215
 - module, 293
 - vector space, 293
- cyclotomic coset, 231
- decoder
 - column, 407
 - Kasami-, 344
- decoding, 4
 - CRC, 402
 - cyclic redundancy check, 402
 - inner, 407
 - outer, 407
 - permutation-, 341
 - row, 407
 - with error-correcting pairs, 346
- decoding tree, 354
- Decomposition Theorem, 467
- Dedekind number, 178
- defect, 90
- degree
 - formulae, 147
 - of a multinomial, 120
 - of a polynomial, 140
 - of nilpotency, 329
- delta function, 166
- depth first search, 683

- derivative, 188
- design, 366, 624
- designed distance, 239
- determinant, 574
- DFT, 273
- digital sum, 432
- digraph, 670
- dimension
 - maximal, 82
 - of representation, 53
- Diophantine linear equations, 563
- direct sum of modules, 294
- directed graph, 670
- Discrete Fourier
 - Transform, 56, 63, 273, 375
- discrete subgroup, 566
- discriminant, 555
- distance
 - minimum, 6, 14
- dither, 387
- division
 - ring, 235
 - shift register, 336
 - theorem, 145, 147
- Dixon–Wilf-algorithm, 527
- down-and-up process, 703, 714
- downstep, 703
- dual group, 634

- EAN-code, 8
- EFM, 431
- eight-to-fourteen modulation, 431
- elementary symmetric polynomial, 60
- empty word, 179
- encoder, 11
- encoding, 4
 - systematic, 65
- enumeration, weighted, 454
- equidistant code, 87
- equivalence relation, 29
- equivalent representations, 53
- erasure, 389
 - location polynomial, 391
- error
 - bits, 351
 - concealment, 407
 - correcting
 - pair, 348
 - evaluation polynomial, 391
 - location polynomial, 391
 - random, 389, 401
 - trapping, 342
 - vector, 15, 351
- error-correction rate, 6
- Euclidean Algorithm
 - Extended, 393
 - for polynomials, 147
 - number theoretic version, 145
- Euler function, 177
- evaluation map, 141
- exponent
 - of a group, 63
 - of a polynomial, 486
- extension, 701

- F1-frame, 439
- F2-frame, 439
- F3-frame, 439
- factor
 - action, 39
 - module, 293
- family
 - decomposable, 464
 - indecomposable, 464
 - independent, 464
- Fano-plane, 621
- field
 - algebraically closed, 159
 - extension, 140
 - algebraic, 159
 - finite, 140
 - multiplicative group, 149
 - splitting, 157
- filter, 381
 - Butterworth-, 382
 - ideal low-pass, 381
 - realizable, 382
- finite field *cf.* Galois field, 139
- finite group action, 34

- fixed
 - field, 167
 - point, 59, 171
- formal sum, 214
- formula, binomial, 154
- Fourier
 - coefficients, 373
 - matrix, 273
 - series, 373
 - Transform, 273, 375
 - Discrete, 56, 63, 375
 - Inverse, 376
 - vector, 273
- f -reducing polynomial, 190
- Frobenius
 - automorphism, 155, 229
 - over \mathbb{F}_p , 155
 - over \mathbb{F}_q , 155
 - mapping, 154
- full monomial group, 35
- fundamental parallelotope, 574
- fusion
 - element, 709
 - node, 709
- Galois
 - field, 154
 - additive representation, 204
 - multiplicative representation, 203
 - group, 167
- Gauss, 576, 586
 - Criterion, 255
- general
 - linear group, 18, 53
 - semilinear group, 208
- general position, 668
- generating
 - function, 455, 456
 - ordinary, 456
 - unit, 269, 283
- generator
 - idempotent, 268
 - matrix, 12
 - decomposable, 464
 - indecomposable, 464
 - systematic, 65
 - polynomial, 221
- generators of a group, 670
- geometry
 - affine, 355
- geometry, projective, 206
- Gleason and Prange Theorem, 262
- Golay-code, 264, 343, 527, 606
 - binary, 106, 264
 - ternary, 264, 606
- Goppa
 - code, 287
 - MDS-code, 282
 - polynomial, 287
- G-orbit, 33
- Gram–Schmidt
 - coefficient, 578
 - orthogonalization, 577
 - vector, 578
- Gram-matrix, 579
- granulation noise, 387
- graph
 - action, 670
 - Cayley-, 725
 - connected component, 670
 - directed, 670
 - loop, 670
- greatest common divisor, 145, 147
- group
 - action, 33
 - finite, 34
 - affine linear group, 245
 - algebra, 214
 - code, 215
 - codes, 213
 - base, 678, 717
 - base and strong generating set, 717–727
 - dual, 634
 - exponent, 63
 - extension, 704
 - general linear, 18, 53
 - general semilinear, 208

- generators, 670
 - of linear isometries, 32
 - of Rubik’s cube, 719
 - of semilinear isometries, 49
 - projective linear, 727–738
 - projective semilinear, 738–741
 - projective special linear group, 260
 - rank function, 724
 - stabilizer chain, 717
 - strong generators, 681, 718
 - symmetric, 30, 725
- Hadamard inequality, 580
- Hamming
- -code, 23, 83, 126, 452, 525
 - distance, 6, 13
 - metric, 13
 - space, 13
 - weight, 15
- hereditary condition, 689
- Hermite, 576, 580, 585, 586
- constant, 585
- hexacode, 132
- homogeneous coordinates, 266
- homomorphism theorem, 163
- hyper companion matrix, 480
- hyperplane, 616
- ideal, 141, 215
- indecomposable, 304
 - maximal, 304
 - minimal, 304
 - relatively prime, 191
 - two-sided, 215
- ideal low-pass filter, 381
- idempotent, 282
- central, 282
 - centrally-primitive, 283
 - generator, 268
 - orthogonal, 283
 - primitive, 283
- identity
- representation, 54
- Identity of Bézout, 145, 147
- incidence matrix, 623
- incomparable, 161
- indecomposability, 469
- induced
- action, 688
 - permutation, 33
 - permutation group, 33
- infimum, 161
- of two subgroups, 172
- information
- place, 65
 - rate, 6
 - set, 65
 - symbols, 227
- injective code, 452
- inner
- code, 407
 - decoding, 407
- integral
- domain, 140
 - element, 485, 488
- integral domain, 301
- interleaving, 404
- cross, 412
 - with delay, 413
- invariant, 59
- Inverse Fourier Transform, 376
- inversion formula
- Fourier, 376
 - general, 166
 - Möbius, 166
- ISBN-code, 5, 7
- isometric
- code, 29
 - linearly, 30
 - permutationally, 30
 - semilinearly, 49
- isometry, 29
- linear, 30
 - global, 549
 - local, 549
 - local, 549
 - permutational, 30
 - semilinear, 45
 - global, 549

- local, 549
- isomorphic normal series, 297
- isomorphism
 - lattice, 161
 - order-, 161
- Isomorphism Theorem
 - First
 - for modules, 295
 - for rings, 296
 - Second
 - for modules, 296
 - for rings, 296
- ISSN-code, 8
- Jacobi normal form, 480
- Jennings
 - basis, 312, 328
 - weight, 328
- kernel, 163
 - of action, 33
- knapsack problem, 564, 593
- Korkine, 576, 587
- Krawtchouk polynomial, 64
- Lagarias, 568, 587
- Lagarias-Odlyzko lattice, 568
- Lagrange, 576, 586
 - Theorem, 38
- λ -way interleave, 405
- land, 430
- lattice, 161, 566
 - action, 625
 - anti-isomorphism, 161
 - basis, 566
 - reduction, 586, 587
 - determinant, 574
 - dual, 599
 - generator matrix, 566
 - isomorphism, 161
 - Lagarias-Odlyzko, 568
 - linear, 625
 - low-density, 593
 - of subgroups, 172, 675
 - rank, 566
 - successive minima, 575
- lattice point enumeration, 601
- leading coefficient
 - of a polynomial, 141
 - of a vector, 677
- least length, 82
- left
 - annihilator, 219
 - coset, 38
 - module, 292
- Legendre, 576
 - symbol, 255
- Lehmann's Lemma, 448
 - generalized, 535
- Leiterspiel, 700
- lemma
 - Cauchy–Frobenius, 171
 - weighted form, 454
 - Euler's, 255
 - Lehmann's, 448
 - generalized, 535
- length, least, 82
- Lenstra, 587
- lexicographical order, 178, 682–688
- linear
 - code, 7
 - combination
 - irreducible, 464
 - reducible, 464
 - group
 - projective, 260
 - special, 260
 - isometry, 30, 444
 - group, 444
 - local, 549
 - lattice, 625
 - representation, 53
- linearized polynomial, 197
- linearly isometric, 30
- L^3 -algorithm, 588
- LLL-algorithm, 588
- LLL-reduced, 588
- local
 - isometry, 549
 - linear isometry, 549

- semilinear isometry, 549
- locally finite, 629
- Lovász, 587
- lower bound, 161
- Lyndon
 - decomposition, 180
 - length, 180
 - set, 179
 - theorem of, 180
 - word, 179
- MacWilliams-identity, 58
- majority logic decoding, 350–366
- matrix
 - generator, 566
 - Gram, 574, 579, 590
 - Möbius, 173, 628
 - Plesken, 630
 - projective, 452
 - representation, 53
 - unimodular, 574
 - zeta, 173, 628
- Mattson–Solomon polynomial, 273
- maximal
 - dimension, 82
 - minimum distance, 82
 - module, 294
- maximum weight, 102
- maximum-likelihood-decoding, 15
- MDS-code, 128–135
 - trivial, 128
- merging bits, 432
- message, 4
- metric classification, 445
- minihyper, 620
- minimal
 - polynomial, 142, 143, 481
 - of a matrix, 478
 - of a vector, 478
- minimum
 - distance, 6, 14, 605
 - maximal, 82
 - relative, 6, 326
 - weight, 15
- Minkowski, 567, 575, 576, 582, 584–586
 - fundamental theorem of, 582
 - second theorem of, 585
- minterm, 120
- modular
 - character, 54
 - representation, 54
- module
 - cyclic, 293
 - factor, 293
 - finitely generated, 293
 - isomorphic, 294
 - left, 292
 - maximal, 294
 - natural projection, 294
 - right, 293
 - semi-simple, 307
 - simple, 294
- modules, direct sum, 294
- Möbius
 - function
 - general, 166
 - number theoretic, 162, 165
 - inversion, 163
 - general, 166
 - number theoretic, 165
 - matrix, 173, 628
- multibase representation, 722
- multiplicative representation
 - Galois field, 203
- multiset, 618
- necklace, 179
- n -fold
 - product, 63
 - sum, 62
- (n, k) -code, 12
- (n, k, d) -code, 16
- (n, k, d, q) -code, 16
- nonredundant
 - code, 448
 - subspace, 452
- nonsquare modulo n , 253
- normal
 - basis, 169

- element, 555
- form, 480, 663
- in $GL_k(q)$, 478
- Jacobi, 480
- of endomorphism, 478
- series, 297
- factors, 297
- isomorphic, 297
- subgroup, 69, 181
- normalizer, 181
- number, Dedekind, 178
- Nyquist
 - frequency, 380
 - rate, 380
- Odlyzko, 568
- optimal code, 81
- orbit, 33, 669
 - basic-, 718
 - computing, 700–716
 - data structure, 675
 - of type \tilde{U} , 172
 - representatives, 689
 - Schreier-tree, 672
- order
 - anti-isomorphism, 161
 - colexicographical, 178
 - isomorphism, 161
 - lexicographical, 178
 - of a formal series, 456
 - of a group, 149
 - of a group element, 149
 - of a polynomial, 486
- order tree, 682
- orderly generation, 688–698
- ordinary
 - character, 54
 - representation, 54
- orthogonal, 577
 - projection, 578
- orthogonality
 - defect, 580
 - relation, 63
- orthogonality defect, 593
- outer
 - code, 407
 - decoding, 407
 - direct sum, 97
- Pólya, 455
- packing radius, 14
- parallelootope, fundamental, 574
- parity
 - check bit, 21
 - extension, 95
- partial
 - order, 161
 - syndrome, 391
 - polynomial, 391
- partially ordered set, 161
- partition of a set, 34
- PCM, 385
- PD-set, 342
- perfect code, 83
- period of a polynomial, 486
- permutation
 - decoding, 342
 - group
 - induced, 33
 - induced, 33
 - representation, 33
- permutation decoding, 341
- permutational isometry, 30
- permutationally isometric, 30
- pit, 430
- Plesken matrix, 630
- Plotkin construction, 100
- point, 617
- pointwise stabilizer, 207, 717
- polynomial
 - affine q -, 198
 - check, 221
 - covering, 344
 - degree, 140
 - divisor, 141
 - elementary symmetric, 60
 - exponent, 486
 - f -reducing, 190
 - generating, 51

- generator, 221
- irreducible, 141
- Krawtchouk, 64
- leading coefficient, 141
- linearized, 197
- Mattson–Solomon, 273
- minimal, 142, 143
- monic, 141
- order, 486
- period, 486
- primitive, 152
- q -, 197
- reciprocal, 224
- reducible, 141
- root of, 141
- splitting field, 157
- subexponent, 488
- symmetric, 60
- – elementary, 60
- poset, 161
 - action, 625
 - automorphism, 626
 - interval, 161
 - locally finite, 161
- power set, 682
- pre-Lyndon
 - algorithm, 187
 - word, 179
- pre-order traversal, 683
- primary
 - components, 479
 - decomposition, 479
- prime field, 140
- primitive
 - element, 152
 - polynomial, 152
- principal
 - ideal, 149
 - – domain, 141, 301
- projection, 512
 - orthogonal, 578
- projective
 - automorphism, 641
 - code, 28
 - dimension, 206
 - geometry, 206, 617
 - hyperplane, 206
 - line, 206, 259
 - linear group, 207, 260, 458, 476, 681, 727–738
 - matrix, 452
 - plane, 206
 - point, 206
 - semilinear group, 209, 738–741
 - space, 205, 450, 676
 - standard vector, 677
- projective code, 452, 515
- prolongation, 102
- pulse code modulation, 385
- punctured
 - code, 96
 - space, 205
- puncturing, 126
- q -binomial numbers, 460
- q -polynomial, 197
 - affine, 198
- quadratic
 - form, 576
 - residue, 253
- Quadratic Reciprocity, 256
- quantization, 384
- quasicanonical form of a critical code, 519
- quaternary code, 20
- radius, covering, 90
- random error, 389, 401
- rank, 566
- rank function
 - for \mathbb{F}_q^k , 677
 - for group elements, 724
 - for subsets, 685
 - projective geometry, 728
- r -divisible code, 60
- realizable filter, 382
- recoupling polynomial, 336
- Red Book, 423
- reduced code, 452, 515

- redundancy
 - places, 65
 - set, 65
- Reed–Muller-code, 120, 526
 - canonical generator matrix, 125
- Reed–Solomon-code, 438
- refinement, 297
- Reiger-bound, 403
- repeated
 - doubling and adding, 183
 - squaring and multiplying, 183
- representation
 - character of, 54
 - dimension of, 53
 - linear, 53
 - modular, 54
 - ordinary, 54
 - space, 53
 - trivial, 54
- representative, canonical, 222
- residue class, 145, 252
 - ring, 140
 - modulo n , 146
- restriction
 - of a code, 108
 - of an action, 38
- reversed sequence, 723
- right
 - annihilator, 218
 - coset, 38
 - module, 293
- ring
 - associate elements, 301
 - divisor, 301
 - free of zero divisors, 144
 - irreducible element, 301
 - prime element, 301
 - relatively prime elements, 301
 - semi-simple, 307
 - unit, 301
- R -linear closure, 293
- R -module homomorphism, 294
 - kernel, 294
- root, 141
 - multiple, 141
 - multiplicity, 141
 - of unity, 229
 - simple, 141
- row
 - code, 407
 - decoding, 407
- RSPC, 438
- Rubik’s cube, 719
- sampling, 370, 378
 - frequency, 378
 - rate, 378
- Schnorr, 587, 596
- Schreier
 - generator, 673
 - tree, 672
- scrambling, 439
- sector, 436
 - address bytes, 436
 - ECC, 437
 - EDC, 437
 - header field, 436
 - mode byte, 436
 - Mode 0, 436
 - Mode 1, 437
 - Mode 2, 437
 - RSPC, 437
 - scrambled, 439
 - synchronization word, 436
- Seeber, 586
- self
 - dual code, 21
 - orthogonal code, 21
- semidirect sum, 100
- semilinear
 - isometries, group of, 49
 - isometry, 45, 49
 - classes, 49
 - local, 549
 - mapping, 45
- semilinearly isometric, 49
- set partition, 34
- shortening, 101
- sift algorithm, 724

- signal-to
 - -error ratio, 385
 - -noise ratio, 385
- similar actions, 174
- simple module, 294
- simplex-code, 83, 126, 452, 619
- Sims chain, 717
- Slepian, 663
- snakes and ladders, 700
- sound
 - intensity, 384
 - power, 383
 - pressure, 384
- space
 - projective, 205
 - punctured, 205
- special linear group, 260
- spectrum, 524
- sphere, 584
- splitting field, 157
- square modulo n , 253
- stabilizer, 170, 669
 - chain, 717
 - pointwise, 207, 688, 717
 - setwise, 688
- stabilizer type, 642
- standard bilinear form, 21
- strong generators, 681, 718
- subcode, 104, 434
 - bits, 434
 - block, 434
- subcycle, 485
 - expression, 486
 - index, 486
 - -index, 492
 - length, 486
 - type, 486
- subdeterminant, 590
- subexponent of a polynomial, 488
- subgroups, lattice of, 172
- submodule, 293
- subset sum problem, 564
- subspace, nonredundant, 452
- successive minima, 575
- sum
 - outer direct, 97
 - semidirect, 100
- summable family, 456
- support, 61, 371, 511
- supremum, 161
 - of two subgroups, 172
- switching function, 119
- symbol
 - check, 227
 - information, 227
 - Legendre, 255
- symmetric
 - channel, 4
 - difference, 61
 - group, 30
 - cycle index, 498
 - polynomial, 60
- syndrome, 24
 - decoding, 24
- τ -order, 558
- tensor, 114
 - product, 108, 114
- ternary code, 20
- theorem
 - binomial, 154
 - First Isomorphism-
 - for modules, 295
 - for rings, 296
 - homomorphism, 163
 - Lyndon's, 180
 - of Berman, 318
 - of Gleason and Prange, 262
 - of Lagrange, 38
 - of Pólya, 455
 - Second Isomorphism-
 - for modules, 296
 - for rings, 296
 - Structure of cyclic codes, 305
- topological sorting, 628
- total order, 161
- totally ordered set, 161
- trace function, 555
- transfer function, 381

- transitive, 38, 245
- transporter
 - element, 669, 689, 709
 - map, 675
- transversal, 33, 689
 - canonical, 690, 709
- trap decoding, 342
- tree
 - binomial tree, 683
 - breadth first search, 684
 - depth first search, 683
 - distance from root, 683
 - fusion node, 709
 - level, 683
 - order tree, 682
 - pre-order traversal, 683
 - root, 683
 - Schreier, 672
 - spanning, 672
- trigonometric polynomial, 372
- trivial
 - action, 54
 - representation, 54
- two-sided ideal, 215
- type
 - of a code, 16
 - of an orbit, 172
- unimodular, 574
- uniqueness of finite fields, 149
- unit
 - generating, 269, 283
 - sphere, 584
- upper bound, 161
- upstep, 703
- $(u \mid u + v)$ -construction, 100, 122
- (u, v) -construction, 98
- $(u + w \mid v + w \mid u + v + w)$ -constr., 105
- Vandermonde matrix, 134
- variety, 229, 237
 - consecutive, 238
 - irreducible, 237
- vector, 565
 - ℓ_q -shortest, 567
 - column, 565
 - directly connected with itself, 465
 - space, cyclic, 293
- vectors
 - connected, 465
 - directly connected, 465
 - orthogonal, 577
 - proportional, 550
- visible, 313
- volume of a set, 574
- weight, 15
 - enumerator, 52, 757
 - function, 56, 453
 - general, 455
 - multiplicative, 454
- weighted enumeration, 454
- word, 4, 178
 - concatenation, 179
 - empty, 179
 - length, 179
 - Lyndon, 179
 - prefix, 179
 - suffix, 179
- wrap around burst, 401
- wreath product, 34
 - generalized, 533
- X-construction, 104
- Y1-construction, 103
- Yellow Book, 435
- Zassenhaus algorithm, 196
- Zech logarithm, 203
- zeta
 - function
 - general, 165
 - number theoretic, 162
 - matrix, 173, 628
- Zolotarev, 576, 587